

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L1 | 6 | (US-5451224-\$ or US-7387628-\$ or US-5961471-\$ or US-6245062-\$ or US-6134476-\$ or US-6878147-\$).did. | USPAT | OR | ON | 2008/07/22 13:43 |
| S1 | 2 | ((("6134476") or ("6245062"))).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/07/18 06:12 |
| S2 | 1 | ("20040167517").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/07/18 06:23 |
| S3 | 12 | ("4557272" "4832048" "5458597" "6106524" "6134476" "6149648" "6197024" "6210411" "6245062" "6673068" "6878147" "6976986").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/18 06:38 |
| S4 | 0 | S3 and ((screw thread) with probe) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/18 06:39 |
| S5 | 3 | S3 and (screw thread) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/18 06:39 |
| S6 | 1 | S2 and (nut brace tensile compression stress screw thread) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/18 06:55 |
| S7 | 4275 | electrode and (inner with conductor) and (outer with conductor) and @AD<"20010706" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/18 07:56 |
| S8 | 7139 | (606/32-52).CCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/07/18 07:57 |

| | | | | | | |
|-----|------|--|--|----|-----|---------------------|
| S9 | 97 | S7 and S8 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/18 07:58 |
| S10 | 1655 | S7 and (nut brace tensile compression stress screw thread) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/18 08:13 |
| S11 | 35 | S9 and S10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/18 08:13 |
| S12 | 4275 | electrode and (inner with conductor) and (outer with conductor) and @AD<"20010706" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/21 11:52 |
| S13 | 7139 | (606/32-52).OCLS. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/07/21 11:52 |
| S14 | 97 | S12 and S13 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/21 11:52 |
| S15 | 4 | S14 and (inner with conductor with (thread threaded)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/21 11:52 |
| S16 | 2 | S12 and (probe with (thread threaded) with handle) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/21 11:56 |
| S17 | 12 | ("4557272" "4832048" "5458597" "6106524" "6134476" "6149648" "6197024" "6210411" "6245062" "6673068" "6878147" "6976986"). PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/21 12:30 |
| S18 | 3 | S17 and (screw thread threaded nut) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO | OR | ON | 2008/07/21 12:30 |

| | | | | | | |
|-----|---|--|--|----|----|---------------------|
| S19 | 5 | S17 and (screw thread threaded tensile compress compression nut) | US-PGPUB; USPAT; USOCR; PPRS; EPO; JPO | OR | ON | 2008/07/21 12:43 |
|-----|---|--|--|----|----|---------------------|

7/22/2008 1:45:43 PM

C:\Documents and Settings\hjohnson3\My Documents\EAST\workspaces\10729040.wsp